

Safety Data Sheet

Issue Date: 07-Apr-2014

Revision Date: 03-Mar-2015

Version: 2.01

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Name: Sierrablen Plus 19-5-18+2MgO+TE
Product Code: 41920125DA
Synonyms: Sierrablen Plus 19-2.2-14.9+1.2Mg+TE

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use: Fertilizer. Restricted to professional users.
Uses Advised Against: Consumer use [SU 21].

1.3. Details of the supplier of the safety data sheet

Manufacturer

Everris International BV
 Nijverheidsweg 1-5; 6422 PD Heerlen (NL); Tel: +31 (0) 45-5609100; Fax: +31 (0) 45-5609190

For further information, please contact

INFO-MSDS@EVERRIS.COM

1.4. Emergency telephone number

IN CASE OF AN EMERGENCY CALL: +44 1235 239 670 (24h)

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Mixture

Regulation (EC) No 1272/2008

Serious Eye Damage or Eye Irritation	Category 1 - (H318)
---	---------------------

2.2. Label elements

Contains Potassium sulphate; K₂SO₄



Signal Word:

Danger

Hazard Statements:

H318 - Causes serious eye damage

Precautionary Statements - EU (§28, 1272/2008)

P280 - Wear eye protection/ face protection

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

Other hazards (UN-GHS)

H316 - Causes mild skin irritation

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Ingredients	EC-No.	CAS-No	Weight %	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH registration number
Urea	200-315-5	57-13-6	25 - 40%	Not classified	01-2119463277-33
Potassium sulphate; K ₂ SO ₄	231-915-5	7778-80-5	25 - 40%	Eye Dam. 1 (H318)	01-2119489441-34
Sulphur; S	231-722-6	7704-34-9	5 - 10%	Skin Irrit. 2 (H315)	01-2119487295-27
Magnesium oxide; MgO	215-171-9	1309-48-4	1 - 5%	Not classified	Exempt
Calcium sulphate dihydrate; CaSO ₄ +2H ₂ O	231-900-3	10101-41-4	1 - 5%	Not classified	01-2119444918-26
Iron Oxide; Fe ₂ O ₃	215-168-2	1309-37-1	0.1 - 1%	Not classified	01-2119457614-35
Manganese sulphate; MnSO ₄ +1H ₂ O	232-08-99	7785-87-7	0.1 - 1%	STOT RE 2 (H373) Eye Dam. 1 (H318) Aquatic Chronic 2 (H411)	01-2119456624-35
Iron sulphate; FeSO ₄ +1H ₂ O	231-753-5	7720-78-7	0.1 - 1%	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Acute Tox. 4 (H302)	01-2119513203-57
Manganese Oxide; MnO	215-202-6	1344-43-0	< 0.1%	Not classified	01-2119446291-44
Zinc oxide; ZnO	1314-13-2	1314-13-2	< 0.1%	Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	01-2119463881-32
Calcium Carbonate; CaCO ₃	207-439-9	471-34-1	< 0.1%	Not classified	Exempt
Zinc Sulfate anh; ZnSO ₄	231-793-3	7733-02-0	< 0.1%	Acute Tox. 4 (H302) Eye Dam. 1 (H318) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	01-2119474684-27
Copper Oxide; CuO	215-269-1	1317-38-0	< 0.1%	Acute Tox. 4 (H302) Acute Tox. 4 (H332)	01-2119502447-44

Full text of H- and EUH-phrases: see section 16

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

- General Advice:** First aid measures should be executed by trained personnel only.
- Inhalation:** Move to fresh air. If not breathing, give artificial respiration. If symptoms persist, call a physician.
- Skin Contact:** Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes.
- Eye Contact:** Rinse thoroughly with plenty of water, also under the eyelids. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. If eye irritation persists, consult a specialist.
- Ingestion:** Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do not induce vomiting without medical advice.
- Protection of First-Aiders:** Low hazard for usual industrial or commercial handling.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms: None under normal processing

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician: None under normal processing.

Section 5: FIRE FIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media:

Coordinate fire extinguishing measures to fire in surrounding area. Use dry chemical, CO₂, water spray or "alcohol" foam.

Unsuitable extinguishing media:

High volume water jet.

5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

5.3. Advice for firefighters

Coordinate fire extinguishing measures to fire in surrounding area.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions: Ensure adequate ventilation. Wear personal protective equipment. Evacuate personnel to safe areas.

For Emergency Responders: Use personal protection recommended in Section 8.

6.2. Environmental precautions

Do not allow product to enter the environment uncontrolled.

6.3. Methods and material for containment and cleaning up

Methods for Containment: Prevent further leakage or spillage if safe to do so.

Methods for Cleanup: Take up mechanically and collect in suitable container for disposal. If material is uncontaminated, collect and reuse as recommended for product.

6.4. Reference to other sections

§ 8, 12, 13.

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

General hygiene considerations:

Handle in accordance with good industrial hygiene and safety practice. Use personal protection recommended in Section 8. When using, do not eat, drink or smoke.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures/storage conditions:

Keep container tightly closed in a dry and well-ventilated place. For quality reasons: Keep out of reach of direct sunlight, store under dry conditions, partly used bags should be closed well.

LGK (Germany)

Packaging Materials:

13
Bags or Bulk.

7.3. Specific end use(s)

Specific use(s)

Fertilizer; Read and follow label instructions; www.everris.com

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

[Urea](#)

Bulgaria - Occupational Exposure Limits - TWAs

10.0 mg/m³ TWA

Latvia - Occupational Exposure Limits - TWAs	10 mg/m ³ TWA
Norway	TWA: 30 µg Hg/g Creatinine STEL: 30 µg Hg/g Creatinine
<i>Potassium sulphate; K₂SO₄</i>	
Bulgaria - Occupational Exposure Limits - TWAs	10.0 mg/m ³ TWA
Latvia - Occupational Exposure Limits - TWAs	10 mg/m ³ TWA
<i>Sulphur; S</i>	
Latvia - Occupational Exposure Limits - TWAs	6 mg/m ³ TWA
Russia TWA	6 mg/m ³ TWA 1790
<i>Magnesium oxide; MgO</i>	
Austria	STEL 20 mg/m ³ STEL 10 mg/m ³ TWA: 5 mg/m ³ TWA: 10 mg/m ³
Australia TWA	10 mg/m ³ TWA fume
Belgium - 8 Hr TWA	10 mg/m ³
Bulgaria - Occupational Exposure Limits - TWAs	10.0 mg/m ³ TWA
Czech Republic OEL	5 mg/m ³ TWA
Denmark	TWA: 6 mg/m ³
France - Occupational Exposure Limits - 8 Hour VMEs	TWA: 10 mg/m ³
Hungary - Occupational Exposure Limits - TWAs	6 mg/m ³ TWA
Iceland - OEL - 8 Hour	6 mg/m ³ TWA Mg
Ireland	TWA: 4 mg/m ³ TWA: 5 mg/m ³ TWA: 10 mg/m ³ STEL: 10 mg/m ³ STEL: 12 mg/m ³ STEL: 30 mg/m ³
Korea - ISHA - Occupational Exposure Limits - TWAs	10 mg/m ³ TWA (Serial No. 272)
Malaysia - Occupational Exposure Limits - TWAs	10 mg/m ³ TWA (fume)
Norway	TWA: 10 mg/m ³ STEL: 20 mg/m ³
Poland	TWA: 10 mg/m ³
Portugal	TWA: 10 mg/m ³
Romania - Occupational Exposure Limits - TWAs	5 mg/m ³ TWA (fume)
Spain OEL - Time Weighted Average (TWA):	TWA: 10 mg/m ³
Singapore - OEL:PELs	10 mg/m ³ PEL
Switzerland	TWA: 3 mg/m ³
UK oes/mel:	STEL: 30 mg/m ³ STEL: 12 mg/m ³ TWA: 10 mg/m ³ TWA: 4 mg/m ³
<i>Calcium sulphate dihydrate; CaSO₄+2H₂O</i>	
Belgium - 8 Hr TWA	10 mg/m ³ TWA
Portugal	TWA: 10 mg/m ³
Spain OEL - Time Weighted Average (TWA):	TWA: 10 mg/m ³
Switzerland	TWA: 3 mg/m ³
<i>Iron Oxide; Fe₂O₃</i>	
Austria	STEL 10 mg/m ³ TWA: 5 mg/m ³ TWA: 10 mg/m ³
Australia TWA	5 mg/m ³ TWA fume 10 mg/m ³ TWA inhalable dust
Belgium - 8 Hr TWA	5 mg/m ³ TWA
Bulgaria - Occupational Exposure Limits - TWAs	5.0 mg/m ³ TWA (as Fe)
Croatia - Occupational Exposure Limits - STELs (KGVIs)	10 mg/m ³ STEL [KGV] (fume, as Fe)
Czech Republic OEL	10.0 mg/m ³ TWA
Denmark	TWA: 3.5 mg/m ³
Finland	TWA: 5 mg/m ³
France - Occupational Exposure Limits - 8 Hour VMEs	TWA: 5 mg/m ³
greece OEL 15 minute	10 mg/m ³ STEL Fe
Hungary - Occupational Exposure Limits - TWAs	6 mg/m ³ TWA
Iceland - OEL - 8 Hour	3.5 mg/m ³ TWA Fe
Ireland	TWA: 5 mg/m ³ TWA: 10 mg/m ³ TWA: 4 mg/m ³ STEL: 30 mg/m ³ STEL: 10 mg/m ³

	STEL: 12 mg/m ³
Korea - ISHA - Occupational Exposure Limits - TWAs	10 mg/m ³ TWA (Rouge, Serial No. 147); 5 mg/m ³ TWA (as Fe, Serial No. 280); 5 mg/m ³ TWA (fume, as Fe, Serial No. 281)
Malaysia - Occupational Exposure Limits - TWAs	2 ppm TWA (dust and fume, particulate matter containing no Asbestos and <1% crystalline Silica); 5 mg/m ³ TWA (dust and fume, particulate matter containing no Asbestos and <1% crystalline Silica)
Norway	TWA: 3 mg/m ³ STEL: 3 mg/m ³
Poland	STEL: 10 mg/m ³ TWA: 5 mg/m ³
Portugal	TWA: 5 mg/m ³
Romania - Occupational Exposure Limits - TWAs	5 mg/m ³ TWA (dust and fume)
Russia TWA	6 mg/m ³ TWA 1004
Spain OEL - Time Weighted Average (TWA):	TWA: 5 mg/m ³
Singapore - OEL:PELs	5 mg/m ³ PEL Fe 10 mg/m ³ PEL
Switzerland	TWA: 3 mg/m ³
UK oes/mel:	STEL: 10 mg/m ³ STEL: 30 mg/m ³ STEL: 12 mg/m ³ TWA: 5 mg/m ³ TWA: 10 mg/m ³ TWA: 4 mg/m ³
<i>Manganese sulphate; MnSO₄+1H₂O</i>	
Austria	STEL 2 mg/m ³ TWA: 0.5 mg/m ³
Australia TWA	0.2 mg/m ³
Belgium - 8 Hr TWA	0.2 mg/m ³
Denmark	TWA: 0.2 mg/m ³
Finland	TWA: 0.02 mg/m ³ TWA: 0.2 mg/m ³
Ireland	TWA: 0.2 mg/m ³ STEL: 0.6 mg/m ³
Norway	TWA: 1 mg/m ³ TWA: 0.1 mg/m ³ STEL: 1 ppm STEL: 0.1 mg/m ³
Poland	TWA: 0.2 mg/m ³ TWA: 0.05 mg/m ³
Portugal	TWA: 0.2 mg/m ³
Spain OEL - Time Weighted Average (TWA):	TWA: 0.2 mg/m ³
Switzerland	TWA: 0.5 mg/m ³
UK oes/mel:	TWA: 0.5 mg/m ³
<i>Iron sulphate; FeSO₄+1H₂O</i>	
Belgium - 8 Hr TWA	1 mg/m ³
Denmark	TWA: 1 mg/m ³
Finland	TWA: 1 mg/m ³
Ireland	TWA: 1 mg/m ³ STEL: 2 mg/m ³
Norway	TWA: 1 mg/m ³ STEL: 1 mg/m ³
Portugal	TWA: 1 mg/m ³
Spain OEL - Time Weighted Average (TWA):	TWA: 1 mg/m ³
Switzerland	TWA: 1 mg/m ³
UK oes/mel:	TWA: 1 mg/m ³
<i>Manganese Oxide; MnO</i>	
Austria	STEL 2 mg/m ³ TWA: 0.5 mg/m ³
Bulgaria - Occupational Exposure Limits - TWAs	0.3 mg/m ³ TWA (as Mn)
Denmark	TWA: 0.2 mg/m ³
Finland	TWA: 0.02 mg/m ³ TWA: 0.2 mg/m ³
Ireland	TWA: 0.2 mg/m ³ STEL: 0.6 mg/m ³
Norway	TWA: 1 mg/m ³ TWA: 0.1 mg/m ³ STEL: 1 ppm STEL: 0.1 mg/m ³
Poland	TWA: 0.2 mg/m ³ TWA: 0.05 mg/m ³

Portugal	TWA: 0.2 mg/m ³
Spain OEL - Time Weighted Average (TWA):	TWA: 0.2 mg/m ³
Switzerland	TWA: 0.5 mg/m ³
UK oes/mel:	TWA: 0.5 mg/m ³
<i>Zinc oxide: ZnO</i>	
Austria	TWA: 5 mg/m ³
Australia TWA	5 mg/m ³ TWA
Belgium - 8 Hr TWA	10 mg/m ³ TWA
Bulgaria - Occupational Exposure Limits - TWAs	5.0 mg/m ³ TWA (as Zn)
Croatia - Occupational Exposure Limits - STELs (KGVIs)	10 mg/m ³ STEL [KGVl]
Czech Republic OEL	2 mg/m ³ TWA (as Zn)
Denmark	TWA: 4 mg/m ³
Finland	TWA: 2 mg/m ³ STEL: 10 mg/m ³
France - Occupational Exposure Limits - 8 Hour VMEs	TWA: 5 mg/m ³ TWA: 10 mg/m ³
greece OEL 15 minute	10 mg/m ³ STEL
Hungary - Occupational Exposure Limits - TWAs	5 mg/m ³ TWA
Iceland - OEL - 8 Hour	4 mg/m ³ TWA Zn
Ireland	TWA: 2 mg/m ³ STEL: 10 mg/m ³
Japan - TWAs	4 mg/m ³ OEL 1 mg/m ³ OEL
Korea - ISHA - Occupational Exposure Limits - TWAs	2 mg/m ³ TWA (dust, respirable fraction, Serial No. 275); 5 mg/m ³ TWA (fume, Serial No. 276)
Latvia - Occupational Exposure Limits - TWAs	0.5 mg/m ³ TWA
Malaysia - Occupational Exposure Limits - TWAs	5 mg/m ³ TWA (fume); 10 mg/m ³ TWA (dust)
Norway	TWA: 5 mg/m ³ STEL: 10 mg/m ³
Poland	STEL: 10 mg/m ³ TWA: 5 mg/m ³
Portugal	STEL: 10 mg/m ³ TWA: 2 mg/m ³
Romania - Occupational Exposure Limits - TWAs	5 mg/m ³ TWA (fume)
Russia TWA	0.5 mg/m ³ TWA 2271
Slovenia - Occupational Exposure Limits - TWAs	5 mg/m ³ TWA (respirable fraction, fume)
Spain OEL - Time Weighted Average (TWA):	STEL: 10 mg/m ³ TWA: 2 mg/m ³
Singapore - OEL:PELs	5 mg/m ³ PEL 10 mg/m ³ PEL
Switzerland	STEL: 3 mg/m ³ TWA: 3 mg/m ³
<i>Calcium Carbonate: CaCO₃</i>	
Australia TWA	10 mg/m ³ TWA inhalable dust
Bulgaria - Occupational Exposure Limits - TWAs	10.0 mg/m ³ TWA
Czech Republic OEL	10.0 mg/m ³ TWA
France - Occupational Exposure Limits - 8 Hour VMEs	TWA: 10 mg/m ³
Latvia - Occupational Exposure Limits - TWAs	6 mg/m ³ TWA
Poland	TWA: 10 mg/m ³
Portugal	TWA: 10 mg/m ³
Switzerland	TWA: 3 mg/m ³
<i>Copper Oxide: CuO</i>	
Austria	STEL 4 mg/m ³ STEL 0.4 mg/m ³ TWA: 1 mg/m ³ TWA: 0.1 mg/m ³
Finland	TWA: 1 mg/m ³
Poland	TWA: 0.2 mg/m ³
Switzerland	STEL: 0.2 mg/m ³ TWA: 0.1 mg/m ³

Predicted No Effect Concentration (PNEC) No information available.

8.2. Exposure controls

Personal protective equipment

Eye/face Protection	No special protective equipment required.
Skin and body protection	No special protective equipment required.
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice.
Environmental exposure controls	Local authorities should be advised if significant spillages cannot be contained. Do not allow into any sewer, on the ground or into any body of water.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State:	Solid
Appearance:	Granules
Odor:	Not significant
Bulk density:	no data available
pH:	no data available
Melting Point/Freezing Point:	no data available
Boiling Point/Range:	Solid, Not Applicable
Flash Point:	Solid, Not Applicable
Evaporation Rate:	Solid, Not Applicable
Flammability (solid, gas):	Non-flammable
Vapor Pressure:	Solid, Not Applicable
Vapor Density:	Solid, Not Applicable
Specific Gravity:	no data available
Water Solubility:	Soluble in water
Solubility(ies)	no data available
Partition Coefficient:	Solid, Not Applicable
Autoignition Temperature:	Not Applicable
Decomposition Temperature:	no data available
Explosive Properties:	Doesn't present explosion hazard. Based on data of ingredients.

9.2. Other information

Not applicable

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

Not reactive.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions**Possibility of hazardous reactions**

None under normal processing.

Hazardous Decomposition Products:

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

10.4. Conditions to avoid

For quality reasons: Keep out of reach of direct sunlight, store under dry conditions, partly used bags should be closed well.

10.5. Incompatible materials

None known based on information supplied.

10.6. Hazardous decomposition products

None under normal processing.

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Information on the Likely Routes of Exposure (inhalation, ingestion, skin and eye contact):

Product Information

Inhalation	May cause irritation of respiratory tract.
Eye contact	May cause irritation.
Skin Contact	May cause irritation.
Ingestion	Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Information on Toxicological

Effects:

Symptoms No information available.

Acute Toxicity

The following values are calculated based on chapter 3.1 of the GHS document:

ATEmix (oral): 19,620.00 mg/kg

Unknown Acute Toxicity: 0% of the mixture consists of ingredient(s) of unknown toxicity.

Ingredients	LD50 Oral	LD50 Dermal	LC50 Inhalation
Urea	= 8471 mg/kg (Rat)		
Potassium sulphate; K ₂ SO ₄	= 6600 mg/kg (Rat)	> 2000 mg/kg (Rat)	
Sulphur; S	> 3000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 9.23 mg/L (Rat) 4 h
Iron Oxide; Fe ₂ O ₃	> 10000 mg/kg (Rat)		
Manganese sulphate; MnSO ₄ +1H ₂ O	= 782 mg/kg (Rat)		
Iron sulphate; FeSO ₄ +1H ₂ O	= 500 mg/kg (Rat)		
Zinc oxide; ZnO	> 5000 mg/kg (Rat)		
Calcium Carbonate; CaCO ₃	= 6450 mg/kg (Rat)		
Zinc Sulfate anh; ZnSO ₄	= 1710 mg/kg (Rat)		

Delayed and Immediate Effects as well as Chronic Effects from Short and Long-Term Exposure:

skin corrosion/irritation	No information available.
Serious eye damage/eye irritation	No information available.
Respiratory or skin sensitization	No information available.
Germ Cell Mutagenicity	No information available.
Carcinogenicity	No information available.
Reproductive Toxicity	No information available.
STOT - Single Exposure	No information available.
STOT - Repeated Exposure	No information available.
Aspiration Hazard	No information available.

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity

Do not allow product to enter the environment uncontrolled.

Unknown Aquatic Toxicity:

6% of the mixture consists of components(s) of unknown hazards to the aquatic environment.

Ingredients	Algae/aquatic plants	Fish	Toxicity to Microorganisms	Crustacea
Urea	> 10000: 192 h Scenedesmus quadricauda mg/L EC50	16200 - 18300: 96 h Poecilia reticulata mg/L LC50	-	3910: 48 h Daphnia magna mg/L EC50 Static 10000: 24 h Daphnia magna Straus mg/L EC50
Potassium sulphate; K ₂ SO ₄	2900: 72 h Desmodesmus subspicatus mg/L EC50	653: 96 h Lepomis macrochirus mg/L LC50 3550: 96 h Lepomis macrochirus mg/L LC50 static 510 - 880: 96 h Pimephales promelas mg/L LC50 static	-	890: 48 h Daphnia magna mg/L EC50
Sulphur; S	-	866: 96 h Brachydanio rerio mg/L LC50 static 14: 96 h Lepomis macrochirus mg/L LC50 static 180: 96 h Oncorhynchus mykiss mg/L LC50 static	-	-
Iron sulphate; FeSO ₄ +1H ₂ O	-	925: 96 h Poecilia reticulata mg/L LC50 static 0.56: 96 h Cyprinus carpio mg/L LC50 semi-static	-	152: 48 h Daphnia magna mg/L EC50 6.15 - 9.26: 48 h Daphnia magna mg/L EC50 Static
Zinc Sulfate anh; ZnSO ₄	0.056: 72 h Pseudokirchneriella subcapitata mg/L EC50 static 64.8: 72 h Chlorella vulgaris mg/L EC50 2.4: 96 h Chlorella vulgaris mg/L EC50	0.162: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 0.03 - 0.05: 96 h Oncorhynchus mykiss mg/L LC50 semi-static 0.34 - 0.93: 96 h Oncorhynchus mykiss mg/L LC50 static 0.218 - 0.42: 96 h Pimephales promelas mg/L LC50 flow-through 0.06: 96 h Pimephales promelas mg/L LC50 static 0.23 - 0.48: 96 h Pimephales promelas mg/L LC50 49.23 - 64.16: 96 h Poecilia reticulata mg/L LC50 semi-static 0.48 - 1.72: 96 h Poecilia reticulata mg/L LC50 static 0.168 - 0.25: 96 h Pimephales promelas mg/L LC50 semi-static 0.15: 96 h Cyprinus carpio mg/L LC50 semi-static 16.85 - 27.18:	-	0.75: 48 h Daphnia magna mg/L EC50 0.538 - 0.908: 48 h Daphnia magna mg/L EC50 Static

		96 h Cyprinus carpio mg/L LC50 static 3 - 4.6: 96 h Lepomis macrochirus mg/L LC50 flow-through 3.55 - 6.32: 96 h Lepomis macrochirus mg/L LC50 static 0.63: 96 h Poecilia reticulata mg/L LC50		
--	--	--	--	--

12.2. Persistence and degradability

Persistence and Degradability: No information available.

12.3. Bioaccumulative potential

Bioaccumulation: No information available.

Ingredients	LOGPOW
Urea	-1.59

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment No information available.

12.6. Other adverse effects

Mobility: No information available.

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Disposal of Wastes:

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging:

Do not re-use empty containers. Dispose of as unused product.

Other Information:

Use up product completely. Packaging material is industrial waste.

Section 14: TRANSPORT INFORMATION

IMO / IMDG**14.1**

UN-No:

Not regulated

14.2

Proper shipping name:

Not regulated

14.3

Hazard Class:

Not regulated

14.4

Packing group:

Not regulated

14.5

Marine Pollutant:

Not regulated

14.6

Special Provisions

None

14.7

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not regulated

ADR/RID

14.1	
UN-No:	Not regulated
14.2	
Proper shipping name:	Not regulated
14.3	
Hazard Class:	Not regulated
14.4	
Packing group:	Not regulated
14.5	
Environmental Hazard	Not regulated
14.6	
Special Provisions	None

IATA

14.1	
UN-No:	Not regulated
14.2	
Proper shipping name:	Not regulated
14.3	
Hazard Class:	Not regulated
14.4	
Packing group:	Not regulated
14.5	
Environmental Hazard	Not regulated
14.6	
Special Provisions	None

Section 15: REGULATORY INFORMATION**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****Belgium****Denmark**

Danish Sikkerhedsgruppe No data available

France

ICPE Not regulated

Germany

LGK (Germany) 13
 Water Endangering Class (WGK): 1 (Everris classification)
 Gefahrstoffverordnung (Germany) TRGS 511 Not regulated

Component	German WGK Section
Urea 57-13-6 (25 - 40%)	class 1
Potassium sulphate; K ₂ SO ₄ 7778-80-5 (25 - 40%)	class 1
Sulphur; S 7704-34-9 (5 - 10%)	class 1
Magnesium oxide; MgO 1309-48-4 (1 - 5%)	class 1
Manganese sulphate; MnSO ₄ +1H ₂ O 7785-87-7 (0.1 - 1%)	class 1
Iron sulphate; FeSO ₄ +1H ₂ O 7720-78-7 (0.1 - 1%)	class 1
Zinc oxide; ZnO 1314-13-2 (< 0.1%)	class 2
Zinc Sulfate anh; ZnSO ₄	class 3

7733-02-0 (< 0.1%)	
Copper Oxide; CuO	class 1
1317-38-0 (< 0.1%)	

European Union**REACH:**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Authorizations and/or restrictions on use:

This product does not contain substances subject to authorization (Regulation (EC) No. 1907/2006 (REACH), Annex XIV) This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Persistent Organic Pollutants

Not Applicable

Ozone-depleting substances (ODS) regulation (EC) 1005/2009 Not Applicable

15.2 Chemical safety assessment**Chemical Safety Report**

Substance(s) usage is covered according to Reach regulation 1907/2006

Section 16: OTHER INFORMATION**Full text of H-Statements referred to under sections 2 and 3**

H400 - Very toxic to aquatic life
H410 - Very toxic to aquatic life with long lasting effects
H302 - Harmful if swallowed
H332 - Harmful if inhaled
H315 - Causes skin irritation
H319 - Causes serious eye irritation
H318 - Causes serious eye damage
H373 - May cause damage to organs through prolonged or repeated exposure in contact with skin
H411 - Toxic to aquatic life with long lasting effects
H316 - Causes mild skin irritation

Key or legend to abbreviations and acronyms used in the safety data sheet

RID: Regulations Concerning the International Transport of Dangerous Goods by Rail
ICAO: International Civil Aviation Organization
ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonized System of Classification and Labeling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
PNEC: Predicted No Effect Concentration
DNEL: Derived No-Effect Level
Reach: Registration, Evaluation, authorization of Chemicals
CLP: EU-GHS; Classification, Labelling and Packaging
OEL: Occupational Exposure Limit
TWA: Time Weighted Average
ATE: Acute Toxicity Estimate
EUH statement: CLP (EU) specific hazard statement

Classification procedure:

- Calculation method
- Expert judgment and weight of evidence determination

Key literature references and sources for data

According to EC Regulation 1907/2006 (Reach), Regulation EU No. 2015/830
Regulation (EC) No 1272/2008

Prepared by:

Regulatory Affairs Department (INFO-MSDS@EVERRIS.COM)

Issue Date:

07-Apr-2014

Revision Date:

03-Mar-2015

Reason for revision

*** Indicates changes since the last revision. This version replaces all previous versions

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006**Disclaimer**

This information contained herein is, to the best of Everris' knowledge and belief, accurate and reliable as of the date of preparation of this document. However, no warranty or guarantee, express or implied, is made as to the accuracy or reliability, and Everris shall not be liable for any loss or damage arising out of the use thereof. No authorization is given or implied to use any patented invention without a license. In addition, Everris shall not be liable for any damage or injury resulting from abnormal use, from any failure to adhere to recommended practices or from any hazards inherent in the nature of the product.