

Pro Scape®

LEBANON

STARTER FERTILIZER

16-25-12



MESA
PATENTED

GUARANTEED ANALYSIS

Total Nitrogen (N) 16.0%
 11.8% Ammoniacal Nitrogen
 1.2% Water Insoluble Nitrogen*
 0.9% Urea Nitrogen
 2.1% Other Water Soluble Nitrogen*
 Available Phosphate (P₂O₅) 25.0%
 Soluble Potash (K₂O) 12.0%
 Sulfur (S) 2.2%
 2.2% Combined Sulfur (S)

Derived From: Ammonium Phosphate, Ammonium Sulfate, Methylene Ureas, Urea, Muriate of Potash.

*3.3% Slowly available Nitrogen from Methylene Ureas.

Chlorine (Cl) not more than 8.0%

GUARANTEED MINIMUM ANALYSIS

Total Nitrogen (N) 16.0%
 11.8% Ammoniacal Nitrogen
 1.2% Water Insoluble Nitrogen*
 0.9% Urea Nitrogen
 2.1% Other Water Soluble Nitrogen*
 Available Phosphate (P₂O₅) 25.0%
 Soluble Potash (K₂O) 12.0%
 Sulfur (S) 2.2%
 2.2% Combined Sulfur (S)
 Chlorine (Cl) (maximum) 8.0%

Derived From: Ammonium Phosphate, Ammonium Sulfate, Methylene Ureas, Urea, Muriate of Potash.

*3.3% Slowly available Nitrogen from Methylene Ureas.

Application Rates:
 To feed at the rate of 1.25 lb. Phosphate (P₂O₅) per 1,000 sq. ft., apply this product at 5.0 lbs per 1,000 sq. ft. or 260 lbs. per acre. To feed at the rate of 1 lb. Phosphate (P₂O₅) per 1,000 sq. ft., apply this product at 4 lbs per 1,000 sq. ft. or 174 lbs. per acre.

Spreader	SUGGESTED SPREADER SETTINGS	
	1.25#P ₂ O ₅ /1,000 ft ²	1#P ₂ O ₅ /1,000 ft ²
Lebanon Turf	5½	4½
Andersons AccuPro	0	M
Earthway Rotary	18	16
Gandy	30	28
Lely	6½ II	6 II
Lesco (letter/numeric) K/22		J/21
PennMulch HVO	0	N
ProScape SS	0	N
Spyker	5½	4½
Vicon	30	26

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

Apply only to actively growing turf. Do not exceed 3.2 lbs. of total phosphate per 1,000 sq. ft. annually.

In Maryland and Virginia: This fertilizer contains phosphorus and may not be used for lawn maintenance on turf in the states of Maryland or Virginia except when
 1) Providing nutrients to specific soils and target vegetation as determined to be necessary in accordance with a soil test that was conducted by a laboratory* performed no more than 3 years before the application;
 2) Establishing vegetation for the first time, such as after land disturbance, provided the application is conducted in accordance with the recommended application rates established by the State;
 or 3) Re-establishing or repairing a turf area.
 *In Maryland, the laboratory must be identified under Section 8-803.7 of the Agriculture Article, Annotated Code of Maryland.

In New Hampshire: This fertilizer contains phosphate. In New Hampshire, phosphate fertilizers may only be used for turf maintenance in golf courses, parks, athletic fields, and sod farms.



WARNING

Hazard Statements
 Causes mild skin irritation.
 May cause eye irritation on contact.
 May be harmful if inhaled repeatedly over long periods of time.
 Suspected of causing cancer by prolonged/repeated inhalation.

Precautionary Statements
 Avoid Breathing dust.
 Use appropriate personal protective equipment as required to avoid breathing dust.
 If skin irritation occurs: Wash with soap and water.
 Wash hands and exposed skin thoroughly after handling.
 If in eyes, rinse cautiously with water for several minutes.
 If eye irritation persists: seek medical attention.
 Seek medical advice or attention if you feel unwell.
 Dispose in accordance with all federal, state and local regulations.

KEEP OUT OF REACH OF CHILDREN.

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention.
 Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan.
 Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands on the driveway, sidewalk, or street back on to your lawn.

WARRANTY


NOTE To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.

Application Rates:
 To feed at the rate of 0.60 kg Phosphate (P₂O₅) Equivalent to 2.5 kg of product per 100 sq. meters.

To feed at the rate of 0.48 kg Phosphate (P₂O₅) Equivalent to 1.9 kg of product per 100 sq. meters.

Spreader	SUGGESTED SPREADER SETTINGS	
	0.60 kg P ₂ O ₅ /100 m ²	0.48 kg P ₂ O ₅ /100 m ²
Lebanon Turf	5½	4½
Andersons AccuPro	0	M
Earthway Rotary	18	16
Gandy	30	28
Lely	6½ II	6 II
Lesco (letter/numeric) K/22		J/21
PennMulch HVO	0	N
ProScape SS	0	N
Spyker	5½	4½
Vicon	30	26

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.



F699 22-53648 i/15

Information regarding the contents and levels of metals in this product is available on the Internet at: <http://www.regulatory-info-lebsea.com>
 800-233-0628 • (717) 273-1685

WARRANTY

NOTE To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.



For technical assistance or more information about our products visit www.LebanonTurf.com

Manufactured by:

Lebanon Seaboard Corporation
 1600 E. Cumberland St. • Lebanon, PA 17042

Made in the U.S.A.
www.LebanonTurf.com
 800-233-0628 • (717-273-1685)

NET WEIGHT **50** LBS. (22.7 KG)

STARTER FERTILIZER

16-25-12



MESA

P A T E N T E D

GUARANTEED ANALYSIS

Total Nitrogen (N)	16.0%
11.8% Ammoniacal Nitrogen	
1.2% Water Insoluble Nitrogen*	
0.9% Urea Nitrogen	
2.1% Other Water Soluble Nitrogen*	
Available Phosphate (P ₂ O ₅)	25.0%
Soluble Potash (K ₂ O)	12.0%
Sulfur (S)	2.2%
2.2% Combined Sulfur (S)	

Derived From: Ammonium Phosphate, Ammonium Sulfate, Methylene Ureas, Urea, Muriate of Potash.

*3.3% Slowly available Nitrogen from Methylene Ureas.

Chlorine (Cl) not more than 8.0%

GUARANTEED MINIMUM ANALYSIS

Total Nitrogen (N)	16.0%
11.8% Ammoniacal Nitrogen	
1.2% Water Insoluble Nitrogen*	
0.9% Urea Nitrogen	
2.1% Other Water Soluble Nitrogen*	
Available Phosphate (P ₂ O ₅)	25.0%
Soluble Potash (K ₂ O)	12.0%
Sulfur (S)	2.2%
2.2% Combined Sulfur (S)	
Chlorine (Cl) (maximum)	8.0%

Derived From: Ammonium Phosphate, Ammonium Sulfate, Methylene Ureas, Urea, Muriate of Potash.

*3.3% Slowly available Nitrogen from Methylene Ureas.

Application Rates:

To feed at the rate of 1.25 lb. Phosphate (P₂O₅) per 1,000 sq. ft., apply this product at 5.0 lbs per 1,000 sq. ft. or 260 lbs. per acre. To feed at the rate of 1 lb. Phosphate (P₂O₅) per 1,000 sq. ft., apply this product at 4 lbs per 1,000 sq. ft. or 174 lbs. per acre.

SUGGESTED SPREADER SETTINGS

Spreader	1.25#P ₂ O ₅ /1,000 ft ²	1#P ₂ O ₅ /1,000 ft ²
Lebanon Turf	5½	4½
Andersons AccuPro	0	M
Earthway Rotary	18	16
Gandy	30	28
Lely	6½ II	6 II
Lesco (letter/numeric)	K/22	J/21
PennMulch HVO	0	N
ProScape SS	0	N
Spyker	5½	4½
Vicon	30	26

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

Apply only to actively growing turf. Do not exceed 3.2 lbs. of total phosphate per 1,000 sq. ft. annually.

In Maryland and Virginia: This fertilizer contains phosphorus and may not be used for lawn maintenance on turf in the states of Maryland or Virginia except when

- 1) Providing nutrients to specific soils and target vegetation as determined to be necessary in accordance with a soil test that was conducted by a laboratory* performed no more than 3 years before the application;
- 2) Establishing vegetation for the first time, such as after land disturbance, provided the application is conducted in accordance with the recommended application rates established by the State;
- or 3) Re-establishing or repairing a turf area.

*In Maryland, the laboratory must be identified under Section 8-803.7 of the Agriculture Article, Annotated Code of Maryland.

In New Hampshire: This fertilizer contains phosphate. In New Hampshire, phosphate fertilizers may only be used for turf maintenance in golf courses, parks, athletic fields, and sod farms.



WARNING

Hazard Statements

Causes mild skin irritation.
May cause eye irritation on contact.
May be harmful if inhaled repeatedly over long periods of time.
Suspected of causing cancer by prolonged/repeated inhalation.

Precautionary Statements

Avoid Breathing dust.
Use appropriate personal protective equipment as required to avoid breathing dust.
If skin irritation occurs: Wash with soap and water.
Wash hands and exposed skin thoroughly after handling.
If in eyes, rinse cautiously with water for several minutes.
If eye irritation persists: seek medical attention.
Seek medical advice or attention if you feel unwell.
Dispose in accordance with all federal, state and local regulations.

KEEP OUT OF REACH OF CHILDREN.

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention.

Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands on the driveway, sidewalk, or street back on to your lawn.

WARRANTY

NOTE To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.

Application Rates:


To feed at the rate of 0.60 kg Phosphate (P₂O₅) Equivalent to 2.5 kg of product per 100 sq. meters.

To feed at the rate of 0.48 kg Phosphate (P₂O₅) Equivalent to 1.9 kg of product per 100 sq. meters.

SUGGESTED SPREADER SETTINGS

Spreader	0.60 kg P ₂ O ₅ /100 m ²	0.48 kg P ₂ O ₅ /100 m ²
Lebanon Turf	5½	4½
Andersons AccuPro	0	M
Earthway Rotary	18	16
Gandy	30	28
Lely	6½ II	6 II
Lesco (letter/numeric)	K/22	J/21
PennMulch HVO	0	N
ProScape SS	0	N
Spyker	5½	4½
Vicon	30	26

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.



F699 **22-53648** i/15

Information regarding the contents and levels of metals in this product is available on the Internet at: <http://www.regulatory-info-lebsea.com>

800-233-0628 • (717) 273-1685

WARRANTY

NOTE To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.



For technical assistance or more information about our products visit www.LebanonTurf.com

Manufactured by:

Lebanon Seaboard Corporation

1600 E. Cumberland St. • Lebanon, PA 17042

Made in the U.S.A.

www.LebanonTurf.com

800-233-0628 • (717-273-1685)

NET WEIGHT 50 LBS. (22.7 KG)