

## Section 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

**Product name:** HEADLAND POLO

**Product code:** 10232

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Use of substance / mixture:** Can be used as herbicide only.

### 1.3. Details of the supplier of the safety data sheet

**Company name:** Headland Agrochemicals

Rectors Lane

Pentre

Flintshire

CH5 2DH

United Kingdom

**Tel:** +44(0)1244 537370

**Fax:** +44(0)1244 532097

**Email:** [enquiry@headlandgroup.com](mailto:enquiry@headlandgroup.com)

### 1.4. Emergency telephone number

**Emergency tel:** +44(0)1244 537370

(office hours only)

## Section 2: Hazards identification

### 2.1. Classification of the substance or mixture

**Classification under CHIP:** Xn: R22; Xi: R37; Xi: R41; -: R52/53

**Classification under CLP:** \* Eye Dam. 1: H318; -: EUH208; -: EUH401

**Most important adverse effects:** Harmful if swallowed. Irritating to respiratory system. Risk of serious damage to eyes.  
Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

### 2.2. Label elements

**Label elements under CLP:**

**Hazard statements:** \* H318: Causes serious eye damage.

EUH208: Contains 2,4-D. May produce an allergic reaction.

EUH401: To avoid risks to human health and the environment, comply with the instructions for use.

**Signal words:** \* Danger

# SAFETY DATA SHEET

HEADLAND POLO

Page: 2

**Hazard pictograms:** \* GHS05: Corrosion



**Precautionary statements:** \* P264: Wash thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a POISON CENTER or doctor.

**Label elements under CHIP:**

**Hazard symbols:** Harmful.



**Risk phrases:** R22: Harmful if swallowed.

R37: Irritating to respiratory system.

R41: Risk of serious damage to eyes.

R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

**Safety phrases:** S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S38: In case of insufficient ventilation, wear suitable respiratory equipment.

S39: Wear eye / face protection.

S57: Use appropriate container to avoid environmental contamination.

**Precautionary phrases:** Do not contaminate water with the product or its container. Do not clean application equipment near surface water. Avoid contamination via drains from farmyards and roads.

To avoid risks to man and the environment, comply with the instructions for use.

## 2.3. Other hazards

**PBT:** This product is not identified as a PBT substance.

## Section 3: Composition/information on ingredients

### 3.2. Mixtures

**Hazardous ingredients:**

2,4-D DMA

EINECS	CAS	CHIP Classification	CLP Classification	Percent
--------	-----	---------------------	--------------------	---------

[cont...]

# SAFETY DATA SHEET

HEADLAND POLO

Page: 3

217-915-8	2008-39-1	Xn: R22; Xi: R41; Sens.: R43; N: R51/53	Acute Tox. 4: H302; Skin Sens. 1: H317; Eye Dam. 1: H318; Aquatic Chronic 2: H411	30-50%
-----------	-----------	---	---	--------

MCPA DMA

218-014-2	2039-46-5	Xn: R20/21/22; N: R50/53	Acute Tox. 4: H302+312+332; Aquatic Acute 1: H400; Aquatic Chronic 1: H410	30-50%
-----------	-----------	--------------------------	--	--------

## Section 4: First aid measures

### 4.1. Description of first aid measures

**Skin contact:** Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water. Consult a doctor if irritation develops.

**Eye contact:** Bathe the eye with running water for 15 minutes. Remove contact lenses, if present, after the first few minutes, then continue rinsing. Transfer to hospital for specialist examination.

**Ingestion:** Wash out mouth with water. Do not induce vomiting. Transfer to hospital as soon as possible.

**Inhalation:** Remove casualty from exposure ensuring one's own safety whilst doing so. Get medical attention if any discomfort continues.

### 4.2. Most important symptoms and effects, both acute and delayed

**Skin contact:** There may be mild irritation at the site of contact.

**Eye contact:** \* There may be pain and redness. The eyes may water profusely. The vision may become blurred. May cause permanent damage.

**Ingestion:** There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur. There may be vomiting and diarrhoea.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest.

**Delayed / immediate effects:** Immediate effects can be expected after short-term exposure.

### 4.3. Indication of any immediate medical attention and special treatment needed

**Immediate / special treatment:** \* Eye bathing equipment should be available on the premises. Immediate medical attention is required in case of ingestion or eye contact. Show this safety data sheet to the doctor in attendance.

## Section 5: Fire-fighting measures

### 5.1. Extinguishing media

**Extinguishing media:** Water spray. Dry chemical powder. Sand. Foam. Carbon dioxide. Do not use high volume water jet. Use water spray to cool containers.

### 5.2. Special hazards arising from the substance or mixture

**Exposure hazards:** In the event of fire (HCL, CL<sub>2</sub>, NO<sub>x</sub>, CO) may be formed.

[cont...]

# SAFETY DATA SHEET

HEADLAND POLO

Page: 4

## 5.3. Advice for fire-fighters

**Advice for fire-fighters:** \* Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes. Contaminated fire extinguishing water should not be discharged into drains, if preventable.

## Section 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions:** \* Refer to section 8 of SDS for personal protection details. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Turn leaking containers leak-side up to prevent the escape of liquid. If outside do not approach from downwind. If outside keep bystanders upwind and away from danger point. In the case of large spills, (1 ton or more) alert the appropriate authorities.

### 6.2. Environmental precautions

**Environmental precautions:** \* Do not discharge into drains or rivers. Contain the spillage using bunding. Accidental release into water courses must be alerted to the appropriate regulatory body.

### 6.3. Methods and material for containment and cleaning up

**Clean-up procedures:** Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method. Refer to section 13 of SDS for suitable method of disposal.

### 6.4. Reference to other sections

**Reference to other sections:** Refer to section 8 of SDS. Refer to section 13 of SDS.

## Section 7: Handling and storage

### 7.1. Precautions for safe handling

**Handling requirements:** \* Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. For its use as a pesticide, look for precautions and personal protective measures on the officially approved label or other official guidance or policy in force. If these are lacking, see section 8 of this SDS.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage conditions:** \* Protect from frost. Store in cool, well ventilated area. Keep container tightly closed. Keep out of the reach of children. Keep away from food, drink and animal feedstuffs.

### 7.3. Specific end use(s)

**Specific end use(s):** No data available.

## Section 8: Exposure controls/personal protection

### 8.1. Control parameters

[cont...]

# SAFETY DATA SHEET

HEADLAND POLO

Page: 5

**Hazardous ingredients:**

**2,4-D DMA**

**Workplace exposure limits:**

**Respirable dust**

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	10 mg/m <sup>3</sup>	20 mg/m <sup>3</sup>	-	-

## 8.1. DNEL/PNEC Values

**DNEL / PNEC** No data available.

## 8.2. Exposure controls

**Engineering measures:** Ensure there is sufficient ventilation of the area.

**Respiratory protection:** \* In the event of a discharge of the material which produces a vapour or mist, workers must put on officially approved respiratory protection equipment with a universal filter type including particle filter.

**Hand protection:** \* PVC gloves. Nitrile gloves.

**Eye protection:** \* Face-shield. Ensure eye bath is to hand.

**Skin protection:** Impermeable protective clothing.

**Environmental:** Refer to specific Member State legislation for requirements under Community environmental legislation.

## Section 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

**State:** Liquid

**Colour:** Pale yellow

**Odour:** Amine-like.

**Solubility in water:** Miscible

**Flash point°C:** >200

**Relative density:** 1.192 g/cm<sup>3</sup> at 20°C

**pH:** 8.6

### 9.2. Other information

**Other information:** No data available.

## Section 10: Stability and reactivity

### 10.1. Reactivity

**Reactivity:** Stable under recommended transport or storage conditions.

### 10.2. Chemical stability

**Chemical stability:** Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

**Hazardous reactions:** Hazardous reactions will not occur under normal transport or storage conditions. Decomposition may occur on exposure to conditions or materials listed below.

[cont...]

# SAFETY DATA SHEET

HEADLAND POLO

Page: 6

## 10.4. Conditions to avoid

Conditions to avoid: \* Heat.

## 10.5. Incompatible materials

Materials to avoid: \* Strong bases.

## 10.6. Hazardous decomposition products

Haz. decomp. products: See subsection 5.2.

## Section 11: Toxicological information

### 11.1. Information on toxicological effects

#### \* Toxicity values:

Route	Species	Test	Value	Units
DERMAL	RAT	LD50	2000	mg/kg
ORAL	RAT	LD50	2500	mg/kg

#### Hazardous ingredients:

##### 2,4-D DMA

DERMAL	RAT	LD50	>2000	mg/kg
INHALATION	RAT	4H LC50	>=5.0	mg/l
ORAL	RAT	LD50	764	mg/kg

#### Relevant effects for mixture:

Effect	Route	Basis
Acute toxicity (harmful)	ING	Hazardous: calculated
Irritation	OPT INH	Hazardous: calculated

### Symptoms / routes of exposure

**Skin contact:** There may be mild irritation at the site of contact.

**Eye contact:** \* There may be pain and redness. The eyes may water profusely. The vision may become blurred. May cause permanent damage.

**Ingestion:** There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur. There may be vomiting and diarrhoea.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest.

**Delayed / immediate effects:** Immediate effects can be expected after short-term exposure.

## Section 12: Ecological information

### 12.1. Toxicity

[cont...]

# SAFETY DATA SHEET

HEADLAND POLO

Page: 7

## \* Ecotoxicity values:

Species	Test	Value	Units
DUCKWEED (Lemna gibba)	7D NOEC	3.17	mg/l
DUCKWEED (Lemna gibba)	7D EbC50	14	mg/l
ALGAE	EbC50	>350	mg/l
DAPHNIA	48H EC50	>342	mg/l
FISH	96H LC50	>357	mg/l

## 12.2. Persistence and degradability

**Persistence and degradability:** \* Readily biodegradable. 2,4-D: DT50(soil) = 13.6 days. MCPA: DT50(soil) = 24 days

## 12.3. Bioaccumulative potential

**Bioaccumulative potential:** \* Not expected to bioaccumulate.

## 12.4. Mobility in soil

**Mobility:** \* 2,4-D: Koc = 5 - 212. MCPA: Koc = 10 - 157.

## 12.5. Results of PBT and vPvB assessment

**PBT identification:** This product is not identified as a PBT substance.

## 12.6. Other adverse effects

**Other adverse effects:** No data available.

## Section 13: Disposal considerations

### 13.1. Waste treatment methods

**Disposal operations:** \* Dispose of product and packaging in accordance with The Green Code (the Code of Practice for the safe use of pesticides on farms and holdings), a MAFF publication.

**Waste code number:** \* 02 01 08

**Disposal of packaging:** \* Do not re-use empty containers. Dispose of as unused product.

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

## Section 14: Transport information

### 14.1. UN number

**UN number:** N/A

### 14.2. UN proper shipping name

**Shipping name:** NOT CLASSIFIED AS DANGEROUS IN THE MEANING OF TRANSPORT REGULATIONS.

### 14.3. Transport hazard class(es)

**Transport class:** N/A

[cont...]

# SAFETY DATA SHEET

HEADLAND POLO

Page: 8

## 14.4. Packing group

**Packing group:** N/A

## 14.5. Environmental hazards

**Environmentally hazardous:** No

**Marine pollutant:** No

## 14.6. Special precautions for user

**Special precautions:** No special precautions.

## 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

**Transport in bulk:** The product is not transported in bulk tankers.

## Section 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**Specific regulations:** Product Registration Number: MAPP 14933.

### 15.2. Chemical Safety Assessment

**Chemical safety assessment:** A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

## Section 16: Other information

### Other information

**Other information:** This safety data sheet is prepared in accordance with Commission Regulation (EU) No 453/2010.

\* indicates text in the SDS which has changed since the last revision.

**Phrases used in s.2 and 3:** EUH208: Contains <name of sensitising substance>. May produce an allergic reaction.

EUH401: To avoid risks to human health and the environment, comply with the instructions for use.

H302: Harmful if swallowed.

H302+312+332: Harmful if swallowed, in contact with skin or if inhaled.

H317: May cause an allergic skin reaction.

H318: Causes serious eye damage.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

H411: Toxic to aquatic life with long lasting effects.

R20/21/22: Harmful by inhalation, in contact with skin and if swallowed.

R22: Harmful if swallowed.

R37: Irritating to respiratory system.

R41: Risk of serious damage to eyes.

R43: May cause sensitisation by skin contact.

R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

[cont...]



## SAFETY DATA SHEET

HEADLAND POLO

Page: 9

R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

**Legal disclaimer:** The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.