

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



INSTRATA ELITE

Version	Revision Date:	SDS Number:	This version replaces all previous ver-
3.0	22.09.2016	S00036476970	sions.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : INSTRATA ELITE

Design code : A20323D

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-
stance/Mixture : Fungicide

1.3 Details of the supplier of the safety data sheet

Company : Syngenta UK Limited
CPC4, Capital Park
Fulbourn
Cambridge CB21 5XE

Telephone : (01223) 883400

Telefax : (01223) 882195

Website : www.syngenta.co.uk

1.4 Emergency telephone number

Emergency telephone
number : +44 1484 538444

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Acute aquatic toxicity, Category 1 H400: Very toxic to aquatic life.

Chronic aquatic toxicity, Category 1 H410: Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Warning

Hazard statements : H410 Very toxic to aquatic life with long lasting effects.

Supplemental Hazard
Statements : EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



INSTRATA ELITE

Version 3.0 Revision Date: 22.09.2016 SDS Number: S00036476970 This version replaces all previous versions.

EUH208 Contains 1,2-benzisothiazol-3-one. May produce an allergic reaction.

Precautionary statements :

Response:

P391 Collect spillage.

Disposal:

P501 Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed for as non-Hazardous waste.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
fludioxonil	131341-86-1	Aquatic Acute 1; H400 Aquatic Chronic 1; H410	$\geq 2.5 - < 10$
difenoconazole	119446-68-3	Acute Tox. 4; H302 Eye Irrit. 2; H319 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	$\geq 3 - < 10$
disodium dodecyl(sulphonatophenoxy)benzenesulphonate	28519-02-0 249-063-8	Eye Dam. 1; H318 Aquatic Chronic 2; H411	$\geq 1 - < 2.5$
1,2-benzisothiazol-3(2H)-one	2634-33-5 220-120-9	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Acute 1; H400	$\geq 0.025 - < 0.05$
bronopol (INN)	52-51-7 200-143-0	Acute Tox. 4; H302 Acute Tox. 4; H312 Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT SE 3; H335 Aquatic Acute 1; H400	$\geq 0.025 - < 0.1$

For explanation of abbreviations see section 16.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



INSTRATA ELITE

Version	Revision Date:	SDS Number:	This version replaces all previous ver-
3.0	22.09.2016	S00036476970	sions.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control centre or physician, or going for treatment.
- If inhaled : Move the victim to fresh air.
If breathing is irregular or stopped, administer artificial respiration.
Keep patient warm and at rest.
Call a physician or poison control centre immediately.
- In case of skin contact : Take off all contaminated clothing immediately.
Wash off immediately with plenty of water.
If skin irritation persists, call a physician.
Wash contaminated clothing before re-use.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Remove contact lenses.
Immediate medical attention is required.
- If swallowed : If swallowed, seek medical advice immediately and show this container or label.
Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : No information available.

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : There is no specific antidote available.
Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

- Suitable extinguishing media : Extinguishing media - small fires
Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Extinguishing media - large fires
Alcohol-resistant foam
or
Water spray
- Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.

5.2 Special hazards arising from the substance or mixture

- Specific hazards during fire- : As the product contains combustible organic components, fire

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



INSTRATA ELITE

Version	Revision Date:	SDS Number:	This version replaces all previous ver-
3.0	22.09.2016	S00036476970	sions.

fighting will produce dense black smoke containing hazardous products of combustion (see section 10).
Exposure to decomposition products may be a hazard to health.

5.3 Advice for firefighters

Special protective equipment for firefighters : Wear full protective clothing and self-contained breathing apparatus.

Further information : Do not allow run-off from fire fighting to enter drains or water courses.
Cool closed containers exposed to fire with water spray.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Refer to protective measures listed in sections 7 and 8.

6.2 Environmental precautions

Environmental precautions : Prevent further leakage or spillage if safe to do so.
Do not flush into surface water or sanitary sewer system.
If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

6.4 Reference to other sections

For disposal considerations see section 13., Refer to protective measures listed in sections 7 and 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : No special protective measures against fire required.
Avoid contact with skin and eyes.
When using do not eat, drink or smoke.
For personal protection see section 8.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : No special storage conditions required. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep away from food, drink and animal feedingstuffs.

7.3 Specific end use(s)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



INSTRATA ELITE

Version 3.0 Revision Date: 22.09.2016 SDS Number: S00036476970 This version replaces all previous versions.

Specific use(s) : For proper and safe use of this product, please refer to the approval conditions laid down on the product label.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
fludioxonil	131341-86-1	TWA	5 mg/m ³	Syngenta
difenoconazole	119446-68-3	TWA	5 mg/m ³	Syngenta

8.2 Exposure controls

Engineering measures

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure standards.

Where necessary, seek additional occupational hygiene advice.

Personal protective equipment

Eye protection : No special protective equipment required.

Hand protection

Remarks

: No special protective equipment required.

Skin and body protection

: No special protective equipment required.
Select skin and body protection based on the physical job requirements.

Respiratory protection

: No personal respiratory protective equipment normally required.
When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Protective measures

: The use of technical measures should always have priority over the use of personal protective equipment.
When selecting personal protective equipment, seek appropriate professional advice.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : liquid

Density : 1.1 g/cm³ (25 °C)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



INSTRATA ELITE

Version	Revision Date:	SDS Number:	This version replaces all previous ver-
3.0	22.09.2016	S00036476970	sions.

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

See section 10.3 "Possibility of hazardous reactions".

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid : No decomposition if used as directed.

10.5 Incompatible materials

Materials to avoid : None known.

10.6 Hazardous decomposition products

Combustion or thermal decomposition will evolve toxic and irritant vapours.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product:

Acute oral toxicity : LD50 (Rat, female): > 2,000 mg/kg
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LC50 (Rat): > 2.65 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

Components:

fludioxonil:

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 2.6 mg/l
Exposure time: 4 h

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



INSTRATA ELITE

Version	Revision Date:	SDS Number:	This version replaces all previous ver-
3.0	22.09.2016	S00036476970	sions.

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

difenoconazole:

Acute oral toxicity : LD50 (Rat, male and female): 1,453 mg/kg
Assessment: The component/mixture is moderately toxic after single ingestion.

Acute inhalation toxicity : LC50 (Rat, male and female): > 3,300 mg/m³
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit, male and female): > 2,010 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

1,2-benzisothiazol-3(2H)-one:

Acute oral toxicity : Assessment: The component/mixture is moderately toxic after single ingestion.

bronopol (INN):

Acute oral toxicity : Assessment: The component/mixture is moderately toxic after single ingestion.

Acute dermal toxicity : Assessment: The component/mixture is moderately toxic after single contact with skin.

Skin corrosion/irritation

Product:

Species: Rabbit

Result: No skin irritation

Components:

fludioxonil:

Species: Rabbit

Result: No skin irritation

difenoconazole:

Species: Rabbit

Result: No skin irritation

1,2-benzisothiazol-3(2H)-one:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



INSTRATA ELITE

Version 3.0	Revision Date: 22.09.2016	SDS Number: S00036476970	This version replaces all previous versions.
----------------	------------------------------	-----------------------------	--

Result: Irritating to skin.

bronopol (INN):

Result: Irritating to skin.

Serious eye damage/eye irritation

Product:

Species: Rabbit

Result: No eye irritation

Components:

fludioxonil:

Species: Rabbit

Result: No eye irritation

difenoconazole:

Species: Rabbit

Result: Irritation to eyes, reversing within 7 days

disodium dodecyl(sulphonatophenoxy)benzenesulphonate:

Result: Risk of serious damage to eyes.

1,2-benzisothiazol-3(2H)-one:

Result: Risk of serious damage to eyes.

bronopol (INN):

Result: Risk of serious damage to eyes.

Respiratory or skin sensitisation

Product:

Species: Mouse

Result: Did not cause sensitisation on laboratory animals.

Components:

fludioxonil:

Species: Guinea pig

Result: Did not cause sensitisation on laboratory animals.

difenoconazole:

Species: Guinea pig

Result: Did not cause sensitisation on laboratory animals.

1,2-benzisothiazol-3(2H)-one:

Result: Probability or evidence of skin sensitisation in humans

INSTRATA ELITE

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
3.0	22.09.2016	S00036476970	

Germ cell mutagenicity

Components:

fludioxonil:

Germ cell mutagenicity- Assessment : Animal testing did not show any mutagenic effects.

difenoconazole:

Germ cell mutagenicity- Assessment : Animal testing did not show any mutagenic effects.

Carcinogenicity

Components:

fludioxonil:

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

difenoconazole:

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen, In a two-year feeding study of mice, an oncogenic effect was seen in the livers of males and females., The observed tumors do not appear to be relevant for men.

Reproductive toxicity

Components:

fludioxonil:

Reproductive toxicity - Assessment : No toxicity to reproduction

difenoconazole:

Reproductive toxicity - Assessment : No toxicity to reproduction

STOT - single exposure

Components:

bronopol (INN):

Assessment: The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



INSTRATA ELITE

Version	Revision Date:	SDS Number:	This version replaces all previous ver-
3.0	22.09.2016	S00036476970	sions.

Repeated dose toxicity

Components:

fludioxonil:

Remarks: No adverse effect has been observed in chronic toxicity tests.

difenoconazole:

Remarks: No adverse effect has been observed in chronic toxicity tests.

SECTION 12: Ecological information

12.1 Toxicity

Product:

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 8.1 mg/l
Exposure time: 96 h
- Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 15 mg/l
aquatic invertebrates : Exposure time: 48 h
- Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (green algae)): 7.8
mg/l
Exposure time: 96 h

Ecotoxicology Assessment

- Acute aquatic toxicity : Very toxic to aquatic life.
- Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

Components:

fludioxonil:

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.23 mg/l
Exposure time: 96 h
- Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 0.4 mg/l
aquatic invertebrates : Exposure time: 48 h
- Toxicity to algae : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 0.44
mg/l
Exposure time: 96 h
- NOEC (Pseudokirchneriella subcapitata (green algae)): 0.132
mg/l
Exposure time: 96 h
- ErC50 (Skeletonema costatum (marine diatom)): 0.43 mg/l
Exposure time: 96 h
- NOEC (Skeletonema costatum (marine diatom)): 0.14 mg/l
End point: Growth rate

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



INSTRATA ELITE

Version	Revision Date:	SDS Number:	This version replaces all previous ver-
3.0	22.09.2016	S00036476970	sions.

Exposure time: 96 h

M-Factor (Acute aquatic toxicity) : 1

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l
Exposure time: 3 h

Toxicity to fish (Chronic toxicity) : NOEC: 0.04 mg/l
Exposure time: 28 d
Species: *Oncorhynchus mykiss* (rainbow trout)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0.035 mg/l
Exposure time: 21 d
Species: *Daphnia magna* (Water flea)

M-Factor (Chronic aquatic toxicity) : 1

difenoconazole:

Toxicity to fish : LC50 (*Oncorhynchus mykiss* (rainbow trout)): 1.1 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 0.77 mg/l
Exposure time: 48 h

EC50 (*Americamysis bahia* (Mysid shrimp)): 0.15 mg/l
Exposure time: 96 h

Toxicity to algae : EC50 (*Navicula pelliculosa* (Freshwater diatom)): 0.091 mg/l
Exposure time: 72 h

NOEC (*Navicula pelliculosa* (Freshwater diatom)): 0.053 mg/l
Exposure time: 72 h

NOEC (*Desmodesmus subspicatus* (green algae)): 0.0086 mg/l
Exposure time: 72 h

M-Factor (Acute aquatic toxicity) : 10

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l
Exposure time: 3 h

Toxicity to fish (Chronic toxicity) : NOEC: 0.0076 mg/l
Exposure time: 34 d
Species: *Pimephales promelas* (fathead minnow)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0.0056 mg/l
Exposure time: 21 d
Species: *Daphnia magna* (Water flea)

NOEC: 0.0046 mg/l
Exposure time: 28 d

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



INSTRATA ELITE

Version	Revision Date:	SDS Number:	This version replaces all previous ver-
3.0	22.09.2016	S00036476970	sions.

Species: Americamysis

M-Factor (Chronic aquatic toxicity) : 10

disodium dodecyl(sulphonatophenoxy)benzenesulphonate:

Ecotoxicology Assessment

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

1,2-benzisothiazol-3(2H)-one:

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

bronopol (INN):

M-Factor (Acute aquatic toxicity) : 10

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

12.2 Persistence and degradability

Components:

fludioxonil:

Biodegradability : Result: Not readily biodegradable.

difenoconazole:

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life: 1 d
Remarks: Product is not persistent.

12.3 Bioaccumulative potential

Components:

fludioxonil:

Bioaccumulation : Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: 4.12 (25 °C)

difenoconazole:

Bioaccumulation : Remarks: High bioaccumulation potential.

Partition coefficient: n-octanol/water : log Pow: 4.4 (25 °C)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



INSTRATA ELITE

Version	Revision Date:	SDS Number:	This version replaces all previous ver-
3.0	22.09.2016	S00036476970	sions.

12.4 Mobility in soil

Components:

fludioxonil:

Distribution among environmental compartments : Remarks: immobile

Stability in soil : Percentage dissipation: 50 % (DT50: 14 d)
Remarks: Product is not persistent.

difenoconazole:

Distribution among environmental compartments : Remarks: Low mobility in soil.

Stability in soil : Percentage dissipation: 50 % (DT50: 149 - 187 d)
Remarks: Product is not persistent.

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

Components:

fludioxonil:

Assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating (vPvB)..

difenoconazole:

Assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating (vPvB)..

12.6 Other adverse effects

Product:

Additional ecological information : Classification of the product is based on the summation of the concentrations of classified components.

Components:

fludioxonil:

Additional ecological information : No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



INSTRATA ELITE

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
3.0	22.09.2016	S00036476970	

difenoconazole:

Additional ecological information : No data available

disodium dodecyl(sulphonatophenoxy)benzenesulphonate:

Additional ecological information : No data available

1,2-benzisothiazol-3(2H)-one:

Additional ecological information : No data available

bronopol (INN):

Additional ecological information : No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

- Product : Do not contaminate ponds, waterways or ditches with chemical or used container.
Do not dispose of waste into sewer.
Where possible recycling is preferred to disposal or incineration.
If recycling is not practicable, dispose of in compliance with local regulations.
- Contaminated packaging : Empty remaining contents.
Triple rinse containers.
Empty containers should be taken to an approved waste handling site for recycling or disposal.
Do not re-use empty containers.

SECTION 14: Transport information

14.1 UN number

- ADN : UN 3082
ADR : UN 3082
RID : UN 3082
IMDG : UN 3082
IATA : UN 3082

14.2 UN proper shipping name

- ADN : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(FLUDIOXONIL AND DIFENOCONAZOLE)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



INSTRATA ELITE

Version	Revision Date:	SDS Number:	This version replaces all previous ver-
3.0	22.09.2016	S00036476970	sions.

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(FLUDIOXONIL AND DIFENOCONAZOLE)

RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(FLUDIOXONIL AND DIFENOCONAZOLE)

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(FLUDIOXONIL AND DIFENOCONAZOLE)

IATA : Environmentally hazardous substance, liquid, n.o.s.
(FLUDIOXONIL AND DIFENOCONAZOLE)

14.3 Transport hazard class(es)

ADN : 9

ADR : 9

RID : 9

IMDG : 9

IATA : 9

14.4 Packing group

ADN
Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

ADR
Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (E)

RID
Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

IMDG
Packing group : III
Labels : 9
EmS Code : F-A, S-F

IATA (Cargo)
Packing instruction (cargo aircraft) : 964
Packing instruction (LQ) : Y964
Packing group : III
Labels : Miscellaneous

IATA (Passenger)
Packing instruction (passen- : 964

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



INSTRATA ELITE

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
3.0	22.09.2016	S00036476970	

ger aircraft)
Packing instruction (LQ) : Y964
Packing group : III
Labels : Miscellaneous

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Marine pollutant : yes

IATA (Cargo)

Marine pollutant : yes

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

E1	ENVIRONMENTAL HAZARDS	Quantity 1 100 t	Quantity 2 200 t
----	-----------------------	---------------------	---------------------

Other regulations : Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance when it is used in the specified applications.

SECTION 16: Other information

Approval number, MAPP 17976.

Use plant protection products safely. Always read the label and product information before use.

Based upon SDS release dated 22/09/2016, version 3 with local amendment.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



INSTRATA ELITE

Version	Revision Date:	SDS Number:	This version replaces all previous ver-
3.0	22.09.2016	S00036476970	sions.

Full text of H-Statements

H302	:	Harmful if swallowed.
H312	:	Harmful in contact with skin.
H315	:	Causes skin irritation.
H317	:	May cause an allergic skin reaction.
H318	:	Causes serious eye damage.
H319	:	Causes serious eye irritation.
H335	:	May cause respiratory irritation.
H400	:	Very toxic to aquatic life.
H410	:	Very toxic to aquatic life with long lasting effects.
H411	:	Toxic to aquatic life with long lasting effects.

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.