



Chipco[®] Green



FUNGICIDE

- ✓ PREVENTATIVE AND CURATIVE CONTROL
- ✓ RAINFAST IN 1 HOUR
- ✓ REDUCES NEED FOR SWITCHING FOR UP TO 2 WEEKS

A contact acting fungicide for the control of Fusarium Patch (*Microdochium nivale*), Red Thread (*Laetisaria fuciformis*) and Dollar Spot (*Sclerotinia homeocarpa*) and useful reduction of Anthracnose (*Colletotrichum cereale*), Leaf Spot (*Drechslera pose*) and Rust (*Puccinia coronata*) where present at time of application, on managed amenity turf * (*See Important Information)

CHIPCO[®] GREEN
Contains 25% w/w Iprodione
Suspension concentrate (SC)

MAPP13843

1 L e



WARNING

Suspected of causing cancer.

Very toxic to aquatic life with long lasting effects.

Wear protective gloves / protective clothing / eye protection / face protection.

Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

IF exposed or concerned: Get medical advice / attention.

To avoid risks to human health and the environment, comply with the instructions for use.

Contains 1,2-benzisothiazolin-3-one. May produce an allergic reaction.

MAPP 13843

Important Information:

FOR USE ONLY AS AN AMENITY/ HORTICULTURAL FUNGICIDE RESTRICTED TO PROFESSIONAL USERS.

For use on managed amenity turf (see 'Other Specific Restrictions').

Maximum individual dose: 20 L/ha.

Maximum number of treatments: 4 per year.

Other Specific Restrictions:

A minimum of four weeks must be observed between treatments.

For use on:

(a) commercial and residential lawns up to 200 m², and patch treatments of up to 5% of estate lawns up to 5,000 m² (i.e. 250 m²)

(b) bowling greens, cricket pitches (excluding outfield), lawn tennis courts and professional sports grounds/stadiums.

(c) golf greens, tees and patch treatment of up to 5% on fairways.

Read the label before use. Using this product in a manner that is inconsistent with the label may be an offence.

Follow the code of practice for using plant protection products.

SAFETY PRECAUTIONS

Keep out of the reach of children.

Operator Protection

TAKE OFF IMMEDIATELY heavily contaminated clothing.

WASH SPLASHES OF CONCENTRATE from skin and eyes immediately.

When using do not eat drink or smoke.

WASH HANDS before meals and after work.

In case of accident or if you feel unwell seek medical advice immediately (show the label where possible).

The (COSHH) Control of Substances Hazardous to Health Regulations may apply to the use of this product at work.

Environmental Protection

Do not contaminate water with the product or its container.

Do not clean application equipment near surface water.

Avoid contamination via drains from farmyards and roads.

DO NOT ALLOW DIRECT SPRAY from horizontal boom sprayers to fall within 5 m of the top of the bank of a static or flowing water body, unless a Local Environment Risk Assessment for Pesticides (LERAP) permits a narrower buffer zone, or within 1 m of the top of the bank which is dry at the time of application. DO NOT ALLOW DIRECT SPRAY from hand-held sprayers to fall within 1 m of the top of the bank of a static or flowing water body. Aim spray away from water.

This product qualifies for inclusion within the Local Environment Risk Assessment for Pesticides (LERAP) scheme. Before each spraying operation from a horizontal boom sprayer, either a LERAP must be carried out in accordance with PSD's published guidance or the statutory buffer zone must be maintained. The results of the LERAP must be recorded and kept available for three years.



GB81741166C - ARTICLE 81014892 - RA3

For 24 hour emergency information contact Bayer CropScience Limited
Telephone: 0800 220876 or nearest National Poisons Information Centre.

Batch number : see on the pack

CHIPCO[®] is registered trademark of
Bayer CropScience Ltd.
Approval Holder: Bayer CropScience Limited

Bayer CropScience Limited,
230 Cambridge Science Park
Milton Road, Cambridge CB4 0WB
Tel: 00800 1214 9451
www.esience.bayercropscience.co.uk
for MSDS and full label

Bayer



Chipco[®] Green

Storage and Disposal

KEEP IN ORIGINAL CONTAINER, tightly closed, in a safe place.

WASH OUT CONTAINER THOROUGHLY and dispose of safely.

DO NOT RE-USE CONTAINER for any purpose.

Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

PROTECT FROM FROST.

SHAKE THE CONTAINER WELL BEFORE USE.

WHO-classification: III (Slightly hazardous).

DIRECTIONS FOR USE

IMPORTANT: This information is approved as part of the Product Label. All instructions within this section must be read carefully in order to obtain safe and successful use of this product.

CHIPCO[®] GREEN can be applied year round.

CHIPCO[®] GREEN is a contact fungicide containing iprodione. The formulation is rainfast within 1 hour and can prevent the build-up of morning dew on grass leaves. 'Switching' to remove this dew is therefore usually unnecessary.

RESTRICTIONS:

If grass is being mown, CHIPCO[®] GREEN should be applied after cutting and further mowing should not take place until AT LEAST 24 hours after treatment.

APPLICATION RATE:

For control of Red Thread, Dollar Spot and Fusarium Patch and useful reduction of Anthracnose, Leaf Spot, and Rust, use 20 L/ha of CHIPCO[®] GREEN in a minimum of 400 - 500 litres of water per hectare of turf.

Application Equipment	Vehicle-mounted Hydraulic Sprayer		Knapsack Sprayer	
	Rate per ha	Water per ha	Rate per 100 m ²	Water per 100 m ²
Disease Problem				
Microdochium nivale (Fusarium Patch) Laetisaria fuciformis (Red Thread) Sclerotinia homeocarpa (Dollar Spot) Colletotrichum cereale (Anthracnose)* Drechslera pose (Leaf Spot)* Puccinia coronata (Rust)*	20 L	500 L	200 ml	5 L

(*useful reduction when present at time of application against the other listed diseases)

TIMING OF APPLICATION:

Curative: Apply at the first sign of disease and repeat as necessary at intervals of 1 month or greater.

Preventative: Apply at monthly intervals.

CHIPCO[®] GREEN can be applied year round.

MIXING AND SPRAYING:

Add the appropriate quantity of CHIPCO® GREEN to the spray tank, which contains half the required volume of water. Mix thoroughly and make up to the required volume with water. Maintain adequate agitation during application. Continue agitation at all times during spraying and stoppages until the tank is completely empty.

Spray immediately after mixing.

Wash out all spray equipment thoroughly with water immediately after use.

Resistance Management:

CHIPCO® GREEN belongs to the dicarboxamide class of chemistry. There has been no record of managed amenity turf pathogens developing resistance to CHIPCO® GREEN.

To avoid the development of resistance, a resistance management strategy should be adopted. This strategy should include using in rotation and/or tank mixture with products that have a different mode of action or different chemical group that are effective against the target disease, such as Dedicate®, as well as non chemical methods of control.

Bayer recommends responsible product stewardship to ensure effective long term control of the fungal diseases on this label.