



## CASTE OFF

A suspension concentrate containing 500 g/l Carbendazim.

CASTE OFF is a broad-spectrum systemic fungicide for use as a worm control agent on managed amenity turf

MAPP 12832

Contents: 5 - 10 Litres

The (COSHH) Control of Substances Hazardous to Health Regulations may apply to the use of this product at work.

PROTECT FROM FROST

Nufarm UK Limited  
Crabtree Manorway North  
Belvedere  
Kent  
DA17 6BQ  
United Kingdom  
Fax: 0208 319 7200

Technical Helpline telephone number 0208 319 7232  
24-hour emergency telephone number 0208 319 7289

**IMPORTANT INFORMATION  
FOR USE ONLY AS A HORTICULTURAL WORM CONTROL AGENT**

<b>Crop</b>	<b>Maximum Individual dose</b>	<b>Maximum number of treatments</b>	<b>Latest timing</b>
Managed Amenity Turf	4.0 L/product/ha	-	-

*Other specific restriction*

For any individual crop the maximum number of treatments refers to the total number of applications of any products containing benomyl, carbendazim or thiophanate-methyl and must not be exceeded

**READ THE LABEL BEFORE USE. USING THIS PRODUCT IN A MANNER THAT IS INCONSISTENT WITH THE LABEL MAY BE AN OFFENCE. FOLLOW THE CODE OF PRACTICE FOR USING PLANT PROTECTION PRODUCTS.**

**CASTE OFF**

A suspension concentrate containing 500 g/l Carbendazim.



**TOXIC**



**DANGEROUS FOR THE ENVIRONMENT**

**MAY CAUSE HERITABLE GENETIC DAMAGE**

**MAY IMPAIR FERTILITY**

**MAY CAUSE HARM TO UNBORN CHILD**

**VERY TOXIC TO AQUATIC ORGANISMS, MAY CAUSE LONG-TERM ADVERSE EFFECTS IN THE AQUATIC ENVIRONMENT**

**AVOID EXPOSURE –OBTAIN SPECIAL INSTRUCTIONS BEFORE USE**

**THIS MATERIAL AND ITS CONTAINER MUST BE DISPOSED OF IN A SAFE WAY**

**USE APPROPRIATE CONTAINMENT TO AVOID ENVIRONMENTAL CONTAMINATION.**

**To avoid risks to man and the environment, comply with the instructions for use**

# SAFETY PRECAUTIONS

## **Operator protection**

Engineering control of operator exposure must be used where reasonably practicable in addition to the following personal equipment.

WEAR SUITABLE PROTECTIVE CLOTHING (COVERALLS) when applying by vehicle mounted equipment

WEAR SUITABLE PROTECTIVE CLOTHING (COVERALLS), SUITABLE PROTECTIVE GLOVES, RUBBER BOOTS AND FACE PROTECTION (FACESHIELD) when handling contaminated surfaces and applying by hand held equipment

WEAR SUITABLE PROTECTIVE CLOTHING (COVERALLS), SUITABLE PROTECTIVE GLOVES, RUBBER BOOTS AND FACE PROTECTION (FACESHIELD) when handling the concentrate

However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

WASH HANDS AND EXPOSED SKIN before meals and after work

## **Environmental protection**

Do not contaminate surface waters or ditches with chemical or used containers

## **Storage and disposal**

KEEP OUT OF REACH OF CHILDREN

KEEP AWAY FROM FOOD, DRINK AND ANIMAL FEEDING STUFFS

KEEP IN ORIGINAL CONTAINER, tightly closed in a safe place

EMPTY CONTAINER COMPLETELY, and dispose of safely.

## DIRECTIONS FOR USE

**IMPORTANT:** This information is approved as part of the Product Label. All instructions within this section must be read carefully in order to obtain safe and successful use of this product.

### RESTRICTIONS

- Do not apply to crops suffering from stress due to drought, frost, water logging, poor nutrition, adverse soil conditions, pest or disease incidence.
- Do not apply during hot conditions, in hot weather spray in the evenings.

### PROBLEMS CONTROLLED

Caste Off can be used for the suppression of wormcasts.

### CROP SPECIFIC INFORMATION

#### Rate of Use

For wormcast suppression only:

Powered Sprayer: 4 litres per hectare in 500 -1000 L water

Knapsack Sprayer: 40 ml/100 m<sup>2</sup> in 20 litres water

Watering can: 8 ml/20m<sup>2</sup> in 10 litres water

#### Timing

Apply when turf is actively growing.

This is normally between Spring and Autumn.

For use against worm casting repeat at 4 monthly intervals.

Application should be made after cutting. Do not mow for at least 48 hours after application.

### MIXING AND SPRAYING

Add half the required volume of water to the spray tank. Add the recommended quantity of CASTE OFF to the spray-tank. Agitate whilst topping up the tank and use continuous agitation during spraying.

Ensure that the sprayer is clean, in good working order and calibrated accurately to the sprayer manufacturer's recommendations. Particular care must be taken to remove any trace of herbicides from previous spray applications. Small traces of some materials, especially hormone herbicides can cause damage to crops. For ground crops use a conventional sprayer fitted with fan or cone jets. Excessive pressure should be avoided.

### COMPATIBILITY

CASTE OFF is suitable for a large number of tank mixtures. It is important to follow the recommendations of the other product when using a tank mix with CASTE OFF.

## **COMPANY ADVISORY INFORMATION**

This section is not part of the Product Label under the Control of Pesticides Regulations 1986. It provides additional advice on product use at the discretion of the applicant.

### **TERMS AND CONDITIONS OF SUPPLY, SALE OR USE**

All goods supplied by Nufarm UK Ltd. are high grade and we believe them to be suitable for the purpose for which we expressly supply them: but as we cannot exercise any control over their mixing, use or application which may affect the performance of the goods all conditions and warranties statutory or otherwise as to the quality or fitness for any purpose of our goods are excluded and no responsibility will be accepted by us or our Associate Companies for any damage or injury whatsoever arising from their storage, handling, re-application or use. These conditions cannot be varied by our staff, our agents or the re-sellers of the product whether or not they supervise or assist in the use of such goods.

Store in areas free from frost. Keep in dry, well-ventilated conditions.