

PLEASE READ ALL PRECAUTIONS BEFORE USE.

MAPP 17145

Contains 22.9% w/w Citronella Oil
European Patent No: 1069828

**A NATURAL HERBICIDE
for the control of COMMON RAGWORT†**

For use as an AGRICULTURAL HERBICIDE on grassland, green cover on land temporarily removed from production and amenity grassland*.



READY TO USE

- Directions for use:** Shake Well. Attach spot spray assembly to can.
Spot spray directly on to weeds, ideally during dry still conditions.
- Dosage:** Spray up to 5 squirts per plant, ideally at rosette stage.
- Covering:** Apply the product until the weed is well covered, but not to the point of run-off. Avoid contact with grasses where possible, e.g. by spraying in still conditions. Such contact will result in transient scorch, which would be replaced by fresh growth in good growing conditions.

† This product will provide rapid destruction of aerial growth. Longer term control of ragwort will depend on the overall management strategy. Check for re-growth after 28 days and re-apply as necessary. Protect from frost.

Designed, Manufactured and Marketed by:



Barrier BioTech Limited™

36/37 Haverscroft Industrial Estate, Attleborough, Norwich, Norfolk NR17 1YE
Tel: 01953 456363 Fax: 01953 455594 Email: sales@barrier-biotech.com

www.ragwort.com

IRRITATING TO SKIN

5Le

**STATUTORY CONDITIONS RELATING TO USE
FOR USE AS AN AGRICULTURAL/HORTICULTURAL HERBICIDE**

For use on permanent grassland, rotational grass, green cover removed from production and amenity grassland. Engineering control of operator exposure must be used where reasonably practicable in addition to the following personal protective equipment: See PRECAUTIONS marked #:

However, engineering controls may replace personal protective equipment if a COSHH assessment shows that they provide an equal or higher standard of protection.

Environmental Protection: See PRECAUTIONS marked *

Other specific restrictions: See PRECAUTIONS marked †

READ ALL PRECAUTIONS BEFORE USE (MAPP 17145)

PRECAUTIONS:

‘*HARMFUL TO FISH OR OTHER AQUATIC LIFE. Do not contaminate surface waters or ditches with chemical or used container.

† KEEP LIVESTOCK OUT OF TREATED AREAS for at least 2 weeks and until foliage of any poisonous weeds such as ragwort have died and become unpalatable.

WEAR SUITABLE PROTECTIVE GLOVES when handling and applying the product.

WHEN USING DO NOT EAT, DRINK OR SMOKE.

KEEP AWAY FROM FOOD, DRINK AND ANIMAL FEEDING STUFFS.

KEEP OUT OF REACH OF CHILDREN.

WASH HANDS before meals and after work.

KEEP IN ORIGINAL CONTAINER tightly closed in a safe place.

EMPTY CONTAINER THOROUGHLY and dispose of safely.

APPLY AWAY FROM BEES.’

Barrier Animal Healthcare is the leading provider of natural and safe healthcare solutions for livestock. Try our [Barrier D Sheep Bath Formula](#), the [Fungicidal Foot Spray](#) and [Foot Bath](#) especially for Sheep, our [Cattle Fly Spray](#) and [Bacti-Teat Spray](#) for dairy cows, our [Louse Powder](#) for ALL animals, our wide range of fly repellents for Horses as well as our range of natural non-irritant [Flea & Tick Repellents](#) and [Luxury Shampoo](#) for Small Pets.



Terms and Conditions of Supply, Sale or Use

All goods supplied by Barrier Biotech Limited are of high grade and we believe them to be suitable for the purposes for which we expressly supply them; but as we cannot exercise any control over their use or application which may affect the performance of the goods all conditions and warranties statutory or otherwise as to the quality or fitness for the purpose of our goods are excluded and no responsibility will be accepted by us or our associate companies for any damage or injury whatsoever arising from their storage, handling, re-application or use. These conditions cannot be varied by our staff, our agents or by re-sellers of the product whether or not they supervise or assist in the use of such goods.