



Provanto[®]

LAWN DISEASE CONTROL



Warning

SAFETY INSTRUCTIONS

Protection during use

- May cause an allergic skin reaction.
- Keep out of reach of children.
- Avoid contact with skin.
- Wear protective gloves/ protective clothing/eye protection.
- IF ON SKIN: Wash with plenty of soap and water.
- If skin irritation or rash occurs: Get medical advice/attention.
- DO NOT TOUCH WATER SOLUBLE BAG. PLACE WHOLE BAG DIRECTLY INTO SPRAY TANK
- If medical advice is needed, have product container or label at hand.

Environmental protection

- Very toxic to aquatic life with long lasting effects.
- Do not contaminate water with the product or its container.
- Do not clean application equipment near surface water.
- Direct away from ponds and other surface water bodies.

Storage and disposal

- KEEP PRODUCT AWAY FROM CHILDREN AND PETS
- KEEP PRODUCT IN ORIGINAL CONTAINER, tightly closed in a safe place.
- Dispose of contents/container to a household waste recycling centre as hazardous waste except for empty containers which can be disposed of in the dustbin. Contact your local council for details.
- Do not empty into drains.

Provanto[®] is a registered trademark of SBM Développement SAS



Red Thread



Fusarium



- Prevents and controls patches & discolouration in lawns caused by lawn diseases



Provanto[®]

LAWN DISEASE CONTROL

USE PESTICIDES SAFELY / READ THE LABEL



Lawn Disease Control
MAPP 18077
FOR USE ONLY AS A HOME GARDEN FUNGICIDE
To avoid risks to human health and the environment, comply with the instructions for use.

SBM Life Science Ltd
Unit 2, Techno Park
Newmarket Road
Cambridge CB5 8PB, UK
A part of SBM Développement SAS
Advisory line: 0845 345 4100
International: 00 44 845 345 4100



3 664715 006749
553198UKA



INSTRUCTIONS FOR USE

When to use

For the control of Red Thread and moderate control of Fusarium patch. Can be used all year round. Spray at the first indications of infestation. Red Thread first appears as circular pink/bleached patches in the grass. Disease can rapidly expand into large patches, with dead grass. Red thread-like strands form near the tips of the leaf blades. To identify Red Thread, keep looking for the pink colour. Red Thread is more prevalent when warm during late spring, summer and early autumn.

Fusarium first appears as dull brown small spots on the lawn that can spread rapidly and can become large dead patches. This disease is more prevalent in the autumn from October onwards and in the spring.

Do not apply during drought conditions or to frozen turf. Can be applied after mowing. Do not mow for at least 48 hours after treatment to allow adequate movement of the treatment through the plant. Allow the spray to dry before using the lawn.

Where to use

Only apply to established garden lawns and residential turf. The maximum number of treatments is two per year with a minimum of four weeks between treatments. Where disease has been identified treat the whole lawn.

How to use

- Calculate the size of the area to be treated and mark into 20sqm sections. Apply the product with a sprayer:
1. Tear open the sachet and drop the inner water-soluble bag into a sprayer containing 1 litre of water. (Do not open inner water-soluble bag!)
 2. Allow to stand for 2 minutes until the inner water-soluble bag dissolves then shake gently to mix.
 3. Spray evenly over 20sqm of lawn



TAKE 1 SOLUBLE SACHET



DROP INTO SPRAYER



APPLY TO AREA 20sqm
2 PARKING SPACES



DO NOT EMPTY INTO DRAINS

RETAIN CARTON FOR FULL INSTRUCTIONS FOR USE

Contains 500g/kg (50%/w/w) trifloxystrobin as a water dispersible granule



3 x 1.4g e sachets
Treats 60sqm